

Rinnai Tankless Water Heaters

Rinnai SE+ (Sensei) Series Tankless Water Heaters

RU Models for Non-Recirc Applications

- For use when installing without a recirculation loop
- Wall mount
- Modulating condensing design (13 to 1 turndown ratio)
- · Includes isolation valve kit
- · Can be vented with two-pipe or concentric vent piping
- Approved for Schedule 40 PVC or polypropylene venting material
- 12 Year Heat Exchanger Warranty (registration required)



HVAC No.	MFG Part No.	Input MBH	Fuel	AFUE	Weight	Flow @70°F Rise	Flow at 50°F Rise	Price
463195	RU199i-NG	199 MBH	NG	95%	74 pounds	5.4 GPM	7.6 GPM	\$3185.70
463194	RU199i-LP	199 MBH	LP	95%	74 pounds	5.4 GPM	7.6 GPM	\$3185.70
463193	RU180i-NG	180 MBH	NG	92%	74 pounds	4.9 GPM	6.9 GPM	\$2937.88
463192	RU180i-LP	180 MBH	LP	92%	74 pounds	4.9 GPM	6.9 GPM	\$2937.88
463472	RU160i-NG	160 MBH	NG	92%	73 pounds	4.3 GPM	6.1 GPM	\$2677.10
463471	RU160i-LP	160 MBH	LP	92%	73 pounds	4.3 GPM	6.1 GPM	\$2677.10
463470	RU130i-NG	130 MBH	NG	91%	73 pounds	3.5 GPM	4.9 GPM	\$2381.70
463469	RU130i-LP	130 MBH	LP	91%	73 pounds	3.5 GPM	4.9 GPM	\$2453.76

RUR Models for Recirc Applications

- · For use when installing with a hot water recirculation loop
- · Includes recirc pump, thermal bypass valve, and isolation valve kit
- · Wall mount modulating condensing

RUR160i-LP

- 13:1 turndown ratio
- · Can be vented with two-pipe or concentric vent piping

	ed for Schedule 40 PV		Rine					
HVAC No.	r heat exchanger warra MFG Part No.	Input MBH	Fuel	AFUE	Weight	Flow @70°F Rise	Flow at 50°F Rise	Price
463197	RUR199i-NG	199 MBH	NG	93%	84 pounds	5.4 GPM	7.6 GPM	\$3859.12
463196	RUR199i-LP	199 MBH	LP	93%	84 pounds	5.4 GPM	7.6 GPM	\$3746.14
463477	RUR160i-NG	160 MBH	NG	92%	83 pounds	4.3 GPM	6.1 GPM	\$3295.68

83 pounds

92%

Rinnai SE Series Tankless Water Heaters

RUCS Models

463478

 For use when isolation valves are already installed, or are supplied separately (recommended Isolation valve kit is 44443WPR)

160 MBH

- Wall mount
- · Modulating condensing
- 13 to 1 turndown ratio
- · Can be vented with two-pipe or concentric vent piping
- Approved for Schedule 40 PVC or polypropylene venting material
- 12 Year heat exchanger warranty (registration required)

HVAC No.	MFG Part No.	Input MBH	Fuel	AFUE	Weight	Flow @70°F Rise	Flow at 50°F Rise	Price
452516	RUCS75i-NG	160 MBH	NG	90%	62 pounds	4.2 GPM	5.9 GPM	\$2450.88
452517	RUCS75i-LP	160 MBH	LP	90%	62 pounds	4.2 GPM	5.9 GPM	\$2450.88



6.1 GPM

4.3 GPM

\$3295.68



Rinnai Tankless Water Heaters

Rinnai HE+ Series Tankless Water Heaters

RL Models

- Wall mount
- · Non-condensing
- · Includes isolation valve kit
- Venting is Rinnai concentric (see below)
- 12 Year heat exchanger warranty (registration required)



HVAC No.	MFG Part No.	Input MBH	Fuel	AFUE	Weight	Flow @70°F Rise	Flow at 50°F Rise	Price
410336	RL94i-NG	199 MBH	NG	82%	54 pounds	4.7 GPM	6.6 GPM	\$2633.84
410337	RL94i-LP	199 MBH	LP	82%	54 pounds	4.7 GPM	6.6 GPM	\$2633.84
398501	RL75i-NG	180 MBH	NG	82%	49 pounds	4.3 GPM	6.0 GPM	\$2165.60
398502	RL75i-LP	180 MBH	LP	82%	49 pounds	4.3 GPM	6.0 GPM	\$2165.60

Rinnai HE Series Tankless Water Heaters

V Models

- Excellent value in a non-condensing tankless water heater
- Non-condensing
- Wall mount
- Venting is Rinnai concentric (see below)
- Isolation valve kit sold separately (see 44443WPR in Accessories section)
- 10 Year heat exchanger warranty (registration required)



HVAC No.	MFG Part No.	Input MBH	Fuel	AFUE	Weight	Flow @70°F Rise	Flow at 50°F Rise	Price
463186	V75i-NG	180 MBH	NG	81%	50 lbs	4.3 GPM	6.0 GPM	\$1958.40
412472	V65i-LP	150 MBH	LP	81%	50 lbs	3.6 GPM	5.0 GPM	\$1672.20

Venting for HE+ and HE Series Rinnai Tankless Water Heaters

- 3" inner pipe is steel
- 5" outer pipe is plastic
- Concentric piping makes installations faster by reducing the number of holes and struts to be rigged.

Long Roof Termination



HVAC No.	MFG Part No.	Description	Price
360651	184119	Roof Discharge Termination, 38" Above Roof	\$204.18



Rinnai Tankless Water Heaters

Regular Roof Termination



HVAC No.	MFG Part No.	Description	Price
360650	184118-S	Roof Discharge Termination, 18" Above Roof	\$133.90

Wall Termination Kit

• Includes 90° Elbow, Rubber Wall Plate, and Universal Termination



HVAC No.	MFG Part No.	Description	Price
394672	223181	12" Long Termination	\$159.10
394673	223182	21" Long Termination	\$162.56

Universal Termination



HVAC No.	MFG Part No.	Description	Price
415720	223183	12" Long Termination	\$87.56
411434	223184	21" Long Termination	\$97.86

Termination Diverter Kit



HVAC No.	MFG Part No.	Description	Price
463187	223187	Horizontal Termination Diverter Kit, 21" Long	\$175.22

45° Elbow



HVAC No.	MFG Part No.	Description	Price
360653	224050	Vent Pipe Elbow, 45 Degree	\$50.20

Condensate Collector



HVAC No.	MFG Part No.	Description	Price
360659	224069	Condensate Collector, 6" Long	\$86.68

90° Elbow



HVAC No.	MFG Part No.	Description	Price
360657	224063	90 Degree Vent Pipe Elbow	\$73.38



Rinnai Tankless Water Heaters

Vent Pipe Extension



HVAC No.	MFG Part No.	Description	Price
360654	224051	10" Vent Pipe Extension	\$57.94
360655	224052	19-1/2" Vent Pipe Extension	\$82.40
360656	224053	39" Vent Pipe Extension	\$92.60

Telescoping Adjustable Vent Pipe



HVAC No.	MFG Part No.	Description	Price
386879	224054	Adjusts from 2.2" to 12" Long	\$89.66

Wall Plate




HVAC No.	MFG Part No.	Description	Price
360667	710342	White Rubber Wall Plate	\$12.90



Rinnai Commercial Water Heating

Rinnai CU Commercial Tankless Water Heater

- · Wall mount
- Integrated temperature up to 185°F
- Approved for SCH40 PVC, CPVC or Polypropylene venting
- · Can vent via twin pipe or concentric venting
- If vented with 2" twin pipe, can handle runs up to 65 equivalent feet
- If vented with 2"/4" concentric, can handle runs up to 65 equivalent feet
- If vented with 3"/5" concentric, can handle runs up to 150 equivalent feet.
- · Multiple units can be cascaded with use of optional Cascade Cable
- · Warranty (registration required):
 - Heat exchanger is 8 years or 12,000 operation hours, whichever comes first.
 - · Parts are warrantied for 5 years
 - Labor is 2 years



Accessories for Rinnai CU Commercial Tankless Water Heater

HVAC No.	MFG Part No.	Description	Price
466907	REU-CSA-C1	Cascade Cable, allows cascading of up to 25 units, 9 feet long	\$74.22
468410	REU-CSA-C2	Cascade Cable, allows cascading of up to 25 units, 25 feet long	\$127.08
468413	REU-EZC-2	EZ Connect Cable, allows cascading of up to 2 units	\$84.34
461297	RWM101	Control-R Wi-Fi Adaptor Module	\$227.12
459537	103000038	ScaleCutter Hard Water Treatment System, 3/4" Feed	\$351.42
468408	103000039	ScaleCutter System Refill	\$199.26
466908	103000067	Commercial Neutralization Tank w/Media	\$668.92
468409	103000068	Commercial Neutralization Replacement Media (40 pounds)	\$180.22
463479	103000076	LP-NG Conversion Kit. Converts Either Way	\$69.46

Rinnai Demand Duo Commercial Hybrid Water Heater

- · Part tank, part tankless
- Keeps pace with demand, from brief, high-spike draws to a longer more consistent demand.
- 119 gallon storage tank combined with a 199MBH tankless heater
- Natural gas or propane
- 97% thermal efficiency
- Use of a tankless unit for heating eliminates thermal stress on the tank, for longer unit life
- · Warranty (Registration Required):
 - 8 year (or 12,000 hours, whichever is first) heat exchanger warranty
 - 6 year tank warranty
 - · 5 year parts warranty
 - 2 year labor warranty









Rinnai Commercial Water Heating

Accessories for Demand Duo Commercial Hybrid Water Heater

HVAC No.	MFG Part No.	Description	Price
461297	RWM101	Control-R Wi-Fi Adaptor Module	\$227.12
466908	103000067	Commercial Neutralization Tank w/Media	\$668.92
468409	103000068	Commercial Neutralization Replacement Media (40 pounds)	\$180.22
463479	103000076	LP-NG Conversion Kit. Converts Either Way	\$69.46

Rinnai Demand Duo 2 Commercial Hybrid Water Heater

- Keeps pace with demand, from brief, high-spike draws to a longer more consistent demand.
- 119 gallon storage tank combined with two 199MBH tankless heaters for total 398 MBH of heating
- Two water heaters gives builtin redundancy
- · Natural gas or propane
- 97% thermal efficiency
- Use of a tankless unit for heating eliminates thermal stress on the tank, for longer unit life
- · Ships in two pieces for easy handling in tight installation space
- Warranty (Registration Required)
 - 8 year (or 12,000 hours, whichever is first) heat exchanger warranty
 - 6 year tank warranty
 - 5 year parts warranty
 - 1 year labor warranty



HVAC No.	MFG Part No.	Input MBH	Fuel	AFUE	Price
468396	CHS398100CUiN	398 MBH	NG	97%	\$22344.12
468397	CHS398100CUiP	398 MBH	LP	97%	\$22344.12

Accessories for Rinnai Demand Duo 2 Commercial Hybrid Water Heater

HVAC No.	MFG Part No.	Description	Price
461297	RWM101	Control-R Wi-Fi Adaptor Module	\$227.12
466908	103000067	Commercial Neutralization Tank w/Media	\$668.92
468409	103000068	Commercial Neutralization Replacement Media (40 pounds)	\$180.22
463479	103000076	LP-NG Conversion Kit. Converts Either Way. 2 Required	\$69.46



Lochinvar Boilers and Combi Units

Lochinvar Knight Floor Mount Boilers

- Up to 96% AFUE (up to 98.6% AFUE for low temperature applications)
- ENERGY STAR® rated
- · May qualify for federal tax credits
- Includes 0-10 VDC ECM pump
- Condensing stainless steel heat exchanger
- SMART SYSTEM™ color display control makes troubleshooting easy
- Up to 3 set point temperatures with outdoor reset for each temperature loop
- Multiple boiler installation up to 8 Knight boilers can be configured together
- · Low NOx certified
- 15 year heat exchanger limited warranty
- 5 year parts limited warranty
- Not available in New York state



HVAC No.	MFG Part No.	Input MBH	Mount	AFUE	Flue Size	Weight	Price
463576	KHB055N	55 MBH	Floor	95%	2"	160 lbs	\$5837.46
463577	KHB085N	85 MBH	Floor	95%	2"	165 lbs	\$6070.02
463578	KHB110N	110 MBH	Floor	95%	3"	170 lbs	\$6301.20
463579	KHB155N	155 MBH	Floor	95%	3"	175 lbs	\$7526.02
463580	KHB199N	199 MBH	Floor	95%	3"	195 lbs	\$8983.28
463581	KHB285N	285 MBH	Floor	95%	3"	205 lbs	\$12399.20

Accessories for Lochinvar Knight Floor Mount Boilers

HVAC No.	MFG Part No.	Description	Price
463899	100268040	LP Conversion Kit for KHB055N	\$102.80
452340	100268104	LP Conversion Kit for KHB085N	\$100.02
463902	100285815	LP Conversion Kit for KHB110N	\$102.80
463903	100285817	LP Conversion Kit for KHB155N	\$102.80
465707	100285818	LP Conversion Kit for KHB199N	\$107.82
452344	100268109	LP Conversion Kit for KHB285N	\$160.90



Lochinvar Boilers and Combi Units

Lochinvar Knight Wall Mount Boilers

- Natural gas fired (LP with optional conversion kit)
- · Hot water output
- Up to 96% AFUE (up to 98.6% AFUE for low temperature applications)
- ENERGY STAR® rated
- · Stainless steel heat exchanger
- Includes 0-10 VDC ECM pump
- SMART SYSTEM™ color display control makes troubleshooting easy
- Up to 3 set point temperatures with outdoor reset for each temperature loop
- Multiple boiler installation up to 8 Knight boilers can be configured together
- · Low NOx certified
- 15 year heat exchanger limited warranty
- 5 year parts limited warranty
- Not available in New York state



HVAC No.	MFG Part No.	Input MBH	Mount	Efficiency	Venting	Weight	Price
463582	WHB055N	55 MBH	Wall	95%	2"	139 lbs	\$5837.46
463583	WHB085N	85 MBH	Wall	95%	2"	142 lbs	\$6070.02
463584	WHB110N	110 MBH	Wall	95%	3"	159 lbs	\$6301.20
463585	WHB155N	155 MBH	Wall	95%	3"	166 lbs	\$7526.02
463586	WHB199N	199 MBH	Wall	95%	3"	175 lbs	\$8983.28
463587	WHB285N	285 MBH	Wall	95%	3"	184 lbs	\$12399.20
463588	WHB399N	400 MBH	Wall	95%	4"	213 lbs	\$16334.38

Accessories for Lochinvar Knight Wall Mount Boilers

HVAC No.	MFG Part No.	Description	Price
463899	100268040	LP Conversion Kit for WHB055N	\$102.80
452340	100268104	LP Conversion Kit for WHB085N	\$100.02
463902	100285815	LP Conversion Kit for WHB110N	\$102.80
463903	100285817	LP Conversion Kit for WHB155N	\$102.80
465707	100285818	LP Conversion Kit for WHB199N	\$107.82
452344	100268109	LP Conversion Kit for WHB285N	\$160.90



Lochinvar Boilers and Combi Units

Lochinvar Noble Wall Mount Boilers

- 95% AFUE
- Natural Gas fired (LP with optional conversion kit)
- · Hot water output
- 10 to 1 turndown ratio
- · Text-based display for plain language setup
- Vent with PVC, CPVC, polypropylene, or stainless steel up to 100 feet
- · Vertical and Horizontal Direct Vent
- · Zero clearances to combustible materials
- Wall mount (can be floor mounted with optional floor stand)
- · Can cascade up to 8 units
- 10 year heat exchanger limited warranty


• 5 year	parts limited warranty palable in New York st	,					
HVAC No.	MFG Part No.	Input MBH	Mounting	Efficiency	Venting	Weight	Price
463917	NKB080N	80 MBH	Wall	95%	2"	125 lbs	\$3743.66
463918	NKB110N	110 MBH	Wall	95%	3"	131 lbs	\$3930.78
463919	NKB150N	150 MBH	Wall	95%	3"	136 lbs	\$4275.90

Accessories for Lochinvar Noble Boilers

HVAC No.	MFG Part No.	Description	Price
463921	100280561	LP Conversion Kit for NKB080N	\$154.70
459880	100275546	LP Conversion Kit for NKB110N	\$107.82
459879	100275548	LP Conversion Kit for NKB150N	\$107.82
460455	MSF300018	Floor Stand for Noble Boilers and Combis	\$823.52

Lochinvar Solution Boilers

- 84% AFUE
- · Natural gas or LP fired
- Hot water output
- · Chimney vented
- Sizes 45 through 135 can be sidewall vented with optional vent kit
- · Optional sidewall vent kit also allowes venting with PVC
- ASME copper-finned tube heat exchanger with cast iron headers
- 2-stage gas valve
- Pre-piped with pumped performance loop for easy hookup
- · 20 year limited heat exchanger warranty
- · 2 year parts warranty
- · Not available in New York state









Lochinvar Boilers and Combi Units

Lochinvar Solution Boilers (Continued)

HVAC No.	MFG Part No.	Input MBH	Efficiency	Fuel	Venting	Weight	Price
393372	CBL135-M9	135 MBH	84%	LP	6"	175 lbs	\$3254.46
393375	CBL180-M9	180 MBH	84%	LP	7"	195 lbs	\$3595.54
393377	CBL215-M9	215 MBH	84%	LP	7"	220 lbs	\$4352.10
393378	CBL260-M9	260 MBH	84%	LP	8"	225 lbs	\$5197.54

Accessories for Lochinvar Solution Boilers

HVAC No.	MFG Part No.	Description	Price
410370	100157733	Optional Sidewall Vent Kit for sizes 45, 75	\$615.22
393776	100157734	Optional Sidewall Vent Kit for sizes 90,135	\$615.22

Lochinvar Noble Combi Units

- 95% AFUE
- 10 to 1 turndown ratio
- Natural gas fired (LP with optional conversion kit)
- 110 size delivers 2.6 gpm with 77°F temperature rise
- 150 size delivers 3.6 gpm with 77°F temperature rise
- 199 size delivers 4.8 gpm with 77°F temperature rise
- Vent with PVC, CPVC, polypropylene, or stainless steel, 2-pipe or concentric
- · Vertical and Horizontal Direct Vent
- Zero clearances to combustible materials
- Wall mount (can be floor mounted with optional floor stand)
- 10 year heat exchanger limited warranty
- 5 year parts limited warranty
- Not available in New York state

HVAC No.	MFG Part No.	Input MBH	Efficiency	Mounting	Venting	Weight	Price
458944	NKC110N	110 MBH	95%	Wall	3"	139 lbs	\$4220.46
458876	NKC150N	150 MBH	95%	Wall	3"	142 lbs	\$4564.20
458945	NKC199N	199 MBH	95%	Wall	3"	159 lbs	\$5298.80

Accessories for Lochinvar Noble Combi Units

HVAC No.	MFG Part No.	Description	Price
459880	100275546	Optional LP Conversion Kit for NKC110N	\$107.82
459879	100275548	Optional LP Conversion Kit for NKC150N	\$107.82
459881	100275549	Optional LP Conversion Kit for NKC199N	\$107.82
459344	100208652	Low Water Cut-Off with Manual Reset	\$459.42
458877	100112156	3/4" Isolation / Flush Valves	\$254.26
460455	MSF300018	Floor Stand for Noble Boilers and Combis	\$823.52





Lochinvar Boilers and Combi Units

Squire Series Indirect Water Heaters

- · Built in the USA
- SIT is constructed from stainless steel, with a fully welded construction, for no gaskets or seals
- · GIT is glass-lined
- Stainless steel heating coil efficiently transfers BTUs to minimize heat loss
- · Limited lifetime heat exchanger warranty
- SIT has lifetime limited warranty
- GIT has 6 year limited warranty
- Not available in New York state



HVAC No.	MFG Part No.	Capacity	Tank Material	Weight	Price
466895	GIT040	40 Gallon	Glass-Lined	165 lbs	\$2007.42
466896	GIT050	50 Gallon	Glass-Lined	200 lbs	\$2447.18
466897	GIT080	70 Gallon	Glass-Lined	250 lbs	\$3213.88
466898	GIT119	115 Gallon	Glass-Lined	320 lbs	\$4808.12
393547	SIT030	27 Gallon	Stainless Steel	79 lbs	\$1939.66
393548	SIT040	40 Gallon	Stainless Steel	105 lbs	\$2160.20
393549	SIT050	52 Gallon	Stainless Steel	131 lbs	\$2583.54
393550	SIT065	67 Gallon	Stainless Steel	147 lbs	\$3222.76
393551	SIT080	82 Gallon	Stainless Steel	177 lbs	\$3566.46
393552	SIT119	113 Gallon	Stainless Steel	213 lbs	\$5444.82



Dunkirk Boilers and Combis

Dunkirk Helix VLT Boilers

- Natural gas input (propane with optional kit)
- Hot water output
- Wall mounted
- Up to 95% AFUE
- ENERGY STAR® rated
- · Condensing/Modulating Boiler
- VLT features primary piping preinstalled
- · System circulator by others
- · Low maintenance, self-cleaning
- · Stainless steel premix burner
- Limited 15 year heat exchanger warranty
- 1 year limited warranty on parts
- · Made in the USA
- Not available in New York state



HVAC No.	MFG Part No.	Description	Input MBH	Flue Size	Weight	Price
438763	DKVLT050	Primary Piping Preinstalled	50	2"	111 lbs	\$6603.52
438764	DKVLT75	Primary Piping Preinstalled	75	2" or 3"	111 lbs	\$6731.92
438765	DKVLT100	Primary Piping Preinstalled	100	3"	111 lbs	\$7043.76
438766	DKVLT150	Primary Piping Preinstalled	150	3"	182 lbs	\$8531.20
438767	DKVLT200	Primary Piping Preinstalled	200	3" or 4"	182 lbs	\$9110.40

Accessories

HVAC No.	MFG Part No.	Description	Price
448130	550002303	LP Conversion Kit for DKVLT050	\$101.54
448131	550002304	LP Conversion Kit for DKVLT075	\$101.54
448132	550002305	LP Conversion Kit for DKVLT100	\$101.54
448133	550002306	LP Conversion Kit for DKVLT150	\$101.54
451819	550002307	LP Conversion Kit for DKVLT200	\$101.54



Dunkirk Boilers and Combis

Dunkirk DCB Series Self-Commissioning Boiler

- · Natural or propane gas Input
- · Hot water output
- · Wall mounted
- Up to 95% AFUE
- ENERGY STAR® rated
- · Condensing/Modulating Boiler
- 5.7 to 1 modulation
- Self-commissioning function eliminates need for combustion analyzer during setup
- Continuously monitors combustion and adjusts gas and air flow to optimize combustion and fuel savings
- Burns natural gas or LP with no conversion needed
- Primary secondary manifold is included, for field installation
- Venting is 2-pipe (3") or concentric polypropylene
- · Includes connections for indirect tank
- Limited 10 year heat exchanger warranty
- 2 year limited warranty on parts and labor (registration required)
- · Made in the USA
- · Not available in New York state

HVAC No.	MFG Part No.	Input MBH	Mounting	Efficiency	Venting	Weight	Price
456167	DCB-125	125 MBH	Wall	95%	3"	102 lbs	\$4712.52
463914	DCB-165	164 MBH	Wall	95%	2" or 3"	125 lbs	\$5532.94

Dunkirk DCBF Series Self-Commissioning Boiler

- · Natural or propane gas Input
- Hot water output
- Floor mounted
- Up to 95% AFUE
- · Condensing/Modulating Boiler
- 5.7 to 1 modulation
- Self-commissioning function eliminates need for combustion analyzer during setup
- Continuously monitors combustion and adjusts gas and air flow to optimize combustion and fuel savings
- Burns natural gas or LP with no conversion needed
- · Primary-secondary manifold is included, factory-installed
- Venting is 2-pipe (2" or 3") CPVC or polypropylene, OR 2" / 4" concentric polypropylene
- · Includes connections for indirect tank
- · Limited 10 year heat exchanger warranty
- 2 year limited warranty on parts and labor (registration required)
- · Made in the USA
- · Not available in New York state

HVAC No.	MFG Part No.	Input MBH	Mounting	Efficiency	Venting	Weight	Price
467839	DCBF-125	125 MBH	Floor	95%	2" or 3"	150 lbs	\$5129.40







Dunkirk Boilers and Combis

Dunkirk DXL Series Boilers

- Natural gas input (propane with optional kit)
- Hot water output
- Up to 83.5% AFUE
- · Cast iron heat exchanger
- · Atmospheric chimney venting with an electronic vent damper
- Includes built-in Taco 007E system circulator
- · Built-in low water cut-off
- Integral draft diverter for low profile installation
- · Advanced control with digital display
- · Residential 20 year limited heat exchanger warranty
- 1 year limited warranty on parts
- · Made in the USA
- · Not available in New York state



HVAC No.	MFG Part No.	Description	Input MBH	AFUE	Flue Size	Weight	Price
440012	DXL-50	Atmospheric Gas Fired Water Boile	r 50	83.5%	4"	205 lbs	\$3620.50
440013	DXL-75	Atmospheric Gas Fired Water Boile	r 75	83.1%	5"	253 lbs	\$3869.84
439965	DXL-100	Atmospheric Gas Fired Water Boile	r 100	83%	6"	253 lbs	\$4044.24
440014	DXL-125	Atmospheric Gas Fired Water Boile	r 125	82%	6"	315 lbs	\$4385.08
440015	DXL-150	Atmospheric Gas Fired Water Boile	r 150	83%	7"	315 lbs	\$4795.90
440016	DXL-170	Atmospheric Gas Fired Water Boile	r 170	82%	7"	377 lbs	\$5629.66
440017	DXL-200	Atmospheric Gas Fired Water Boile	r 200	82%	8"	377 lbs	\$5963.18

Accessories

HVAC No.	MFG Part No.	Description	Price
448137	550002663	LP Kit for DXL-50,100,150,200	\$184.04
448138	550002664	LP Kit for DXL-75	\$184.04
448139	550002665	LP Kit for DXK-125, 170	\$184.04

Dunkirk XEB Series Boilers

- Natural gas input (propane with optional kit)
- · Hot water output
- Up to 84.4% AFUE
- Honeywell high limit/electronic control
- · Induced draft fan
- Small, compact design
- · Cast iron heat exchanger & push nipples
- User display interface
- · Residential 20 year limited heat exchanger warranty
- 1 year limited warranty on parts
- Made in the USA
- · Not available in New York state



HVAC No.	MFG Part No.	Description	Input MBH	AFUE	Flue Size	Weight	Price
428029	XEB-3	Atmospheric Gas Fired Water Boile	r 75	84.4%	4" / 3"	265 lbs	\$4369.00
443454	XEB-4	Atmospheric Gas Fired Water Boile	r 112	83%	4" / 3"	322 lbs	\$4578.50
443455	XEB-5	Atmospheric Gas Fired Water Boile	r 150	82.7%	4" / 3"	370 lbs	\$5392.88
429179	XEB-6	Atmospheric Gas Fired Water Boile	r 187	82.3%	4" / 4"	431 lbs	\$6320.04

Accessories

HVAC No.	MFG Part No.	Description	Price
448140	550002722	LP Kit for XEB boiler	\$184.04



Dunkirk Boilers and Combis

Dunkirk PSB Series Boilers

- · Natural Gas input (LP with optional kit)
- · Steam output
- Up to 82.7% AFUE
- Chimney venting
- · Electronic ignition system
- · Automatic vent damper
- · Cast iron sections & push nipples
- · Titanium composite burners for longevity
- · Electronic LWCO for added safety
- · Residential 12 year limited heat exchanger warranty
- 1 year limited warranty on parts
- · Made in the USA
- · Not available in New York state




HVAC No.	MFG Part No.	Description	Input MBH	AFUE	Flue Size	Weight	Price
427244	PSB-3D	Atmospheric Gas Fired Steam Boile	r 75	82.7%	5"	297 lbs	\$4864.26
443449	PSB-4D	Atmospheric Gas Fired Steam Boile	r 112	82%	6"	368 lbs	\$5312.84
443730	PSB-5D	Atmospheric Gas Fired Steam Boile	r 150	82%	6"	440 lbs	\$5988.20
443732	PSB-6D	Atmospheric Gas Fired Steam Boile	r 187	82%	7"	512 lbs	\$6820.30
443453	PSB-7D	Atmospheric Gas Fired Steam Boile	r 225	82%	7"	584 lbs	\$7520.68
442762	PSB-8D	Atmospheric Gas Fired Steam Boile	r 262	82%	7"	659 lbs	\$7979.20
430808	PSB-9D	Atmospheric Gas Fired Steam Boile	r 299	82%	7"	736 lbs	\$8404.80

Accessories

HVAC No.	MFG Part No.	Description	Price
448141	43300723	LP Kit for PSB-3D	\$107.88
448142	43300724	LP Kit for PSB-4D	\$107.88
448143	43300725	LP Kit for PSB-5D	\$107.88
448144	43300726	LP Kit for PSB-6D	\$129.04
448145	43300727	LP Kit for PSB-7D	\$129.04
448146	43300728	LP Kit for PSB-8D	\$129.04
448147	43300729	LP Kit for PSB-9D	\$129.04

Dunkirk EXB Series (Excelsior) Boilers

- · Oil input
- · Hot water output
- Up to 87% AFUE
- ENERGY STAR® rated on select sizes
- Chimney venting (direct vent models available)
- Cast iron sections & push nipples
- Multiple firing rates
- · Swing-open front of cabinet provides easy access for servicing and maintaining the burner / boiler.
- Residential 20 year limited heat exchanger warranty
- 1 year limited warranty on parts





Excelsion



Dunkirk Boilers and Combis

Dunkirk EXB Series (Excelsior) Boilers (Continued)

HVAC No.	MFG Part No.	Input MBH	AFUE	Flue Size	Weight	Price
451889	EXB5115	161	85%	5"	496 lbs	\$5169.24
451891	EXB6130	182	87%	5"	560 lbs	\$5135.76
451890	EXB5135	189	84%	5"	496 lbs	\$5169.24
451892	EXB6145	203	85%	5"	560 lbs	\$5135.76
451893	EXB7165	231	87%	6"	620 lbs	\$6193.42

Dunkirk Empire (EW) Series Boilers

- · Oil input
- Hot water output
- Up to 86.5% AFUE
- ENERGY STAR® rated on select sizes
- · Chimney venting
- Cast iron sections & push nipples
- · Multiple firing rates
- Swing burner door provides easy access for servicing and maintaining the burner / boiler.
- · Residential 20 year limited heat exchanger warranty
- 1 year limited warranty on parts
- · Made in the USA
- Not available in New York state


HVAC No.	MFG Part No.	Description	Input MBH	AFUE	Flue Size	Weight	Price
434898	3EW.75Z	Oil Boiler Without Tankless Coil	91	85.2%	6"	470 lbs	\$5229.70
434840	4EW.90Z	Oil Boiler Without Tankless Coil	126	86%	6"	545 lbs	\$5776.16
438773	5EW1.20Z	Oil Boiler Without Tankless Coil	168	86.5%	6"	630 lbs	\$7378.22
438771	4EW1.25Z	Oil Boiler Without Tankless Coil	175	85%	6"	545 lbs	\$5776.16
436479	3EW.75T	Oil Boiler With Tankless Coil	91	85.2%	6"	470 lbs	\$6088.06
436481	4EW.90T	Oil Boiler With Tankless Coil	126	86%	6"	545 lbs	\$6987.90
436483	4EW1.25T	Oil Boiler With Tankless Coil	175	85%	6"	545 lbs	\$6987.90
436485	5EW1.20T	Oil Boiler With Tankless Coil	245	84.3%	6"	630 lbs	\$8207.64

Dunkirk Glass-Lined Indirect Water Heaters

- Glass-Lined Steel Tank and Coil
- Magnesium anode rod for corrosion protection
- Flexible scratch resistant jacket
- Includes Aquastat, temperature/pressure relief valve, water tank temperature gauge
- Residential limited warranty is 8 years on tank, 5 years on parts
- Not available in New York state

HVAC No.	MFG Part No.	Capacity	Tank	Weight	Price
464675	H2OIG40DK	42 Gallons	Glass-Lined Steel	180 lbs	\$1884.76
464676	H2OIG50DK	53 Gallons	Glass-Lined Steel	200 lbs	\$2147.54
464677	H2OIG80DK	79 Gallons	Glass-Lined Steel	243 lbs	\$2979.40
464678	H2OIG105DK	106 Gallons	Glass-Lined Steel	393 lbs	\$4465.72







Dunkirk Boilers and Combis

Dunkirk Stainless Steel Indirect Water Heaters

- Type 316L stainless steel tank and coil
- Top connections for easy installation
- Thermoplastic jacket
- · Low pressure drop
- · Large diameter, smooth coil
- Temperature / pressure valve, stainless steel aquastat well and drain valve included
- 2.25" EPS insulation (less than .5F per hour standby loss)
- Residential lifetime limited heat exchanger warranty and 1 year limited warranty on all components
- · Commercial limited 5 year warranty
- · Not available in New York state

HVAC No.	MFG Part No.	Capacity	Tank	Weight	Price
439774	H2OI40DK	40 Gallon	316L Stainless Steel	100 lbs	\$2502.56
440018	H2OI60DK	60 Gallon	316L Stainless Steel	125 lbs	\$3497.00
447869	H2OI80DK	80 Gallon	316L Stainless Steel	140 lbs	\$3837.04

Dunkirk DCC Self-Commissioning Combi Unit

- Natural or propane gas Input
- · Hot water output
- · Wall mounted
- Up to 95% AFUE
- ENERGY STAR® rated
- Condensing/Modulating Combi Unit
- 5.5 to 1 modulation in heating mode
- 7.1 to 1 modulation in DHW mode
- DCC-150 delivers 3.5 gpm with 70°F temperature rise
- DCC-205 delivers 5.0 gpm with 70°F temperature rise
- Self-commissioning function eliminates need for combustion analyzer during setup
- Continuously monitors combustion and adjusts gas and air flow to optimize combustion and fuel savings
- · Burns natural gas or LP with no conversion kit needed
- Primary secondary manifold is included, for field installation
- Venting is 2-pipe (3") or concentric polypropylene
- · Includes connections for indirect tank
- · Limited 10 year heat exchanger warranty
- 2 year limited warranty on parts
- Made in the USA
- · Not available in New York state

HVAC No.	MFG Part No.	Input MBH	Efficiency	Twin Pipe Venting	Coaxial Venting	Weight	Price
456168	DCC-150	150 MBH	95%	3"	2" / 4"	103 lbs	\$5032.68
463916	DCC-205	205 MBH	95%	3" or 2"	3" / 5"	125 lbs	\$5841.44





Dunkirk Boilers and Combis

Dunkirk DCCF Self-Commissioning Combi Unit

- · Natural or propane gas Input
- · Hot water output
- Floor mounted
- Up to 95% AFUE
- ENERGY STAR® rated
- · Condensing/Modulating Combi Unit
- 5.7 to 1 modulation in heating mode
- 7 to 1 modulation in DHW mode
- DCC-150 delivers 3.5 gpm with 70°F temperature rise
- DCC-205 delivers 5.0 gpm with 70°F temperature rise
- · Self-commissioning function eliminates need for combustion analyzer during setup
- · Continuously monitors combustion and adjusts gas and air flow to optimize combustion and fuel savings

125 MBH

95%

- · Burns natural gas or LP with no conversion kit needed
- · Primary secondary manifold is included, factory installed
- Venting is 2-pipe (3") or concentric polypropylene
- · Includes connections for indirect tank
- · Limited 10 year heat exchanger w
- · 2 year limited warranty on parts
- · Made in the USA

HVAC No.

467641

• Not available in New York state MFG Part No.

DCCF-150



2"/4"

150 lbs

\$5477.92

Input MBH	Efficiency	Twin Pipe Venting	Coaxial Venting	Weight	Price
warranty					

2" or 3"



Pennco Boilers

15B Series Gas Boilers

- 82% AFUE
- High limit control
- · Natural gas input (LP with optional conversion kit)
- · Hot water output
- Includes factory-installed Low Water Cutoff
- · Compact, low profile draft hood and top supply piping connections allow for easier installation
- Sections connected with cast iron push nipples to ensure a water tight seal
- · Combination gas control includes automatic gas valve, gas pressure regulator, intermittent pilot, safety shut off, pilot flow adjustment and pilot filter
- 20 year limited heat exchanger warranty
- · 1 year limited warranty on parts
- · Not available in Western PA



HVAC No.	MFG Part No.	Description	Input MBH	Flue Size	Weight	Price
461028	15B045FE W/LWCO	Gas Fired Atmospheric Boiler W/LWCO	45	4"	255 lbs	\$2582.88
461029	15B070FE W/LWCO	Gas Fired Atmospheric Boiler W/LWCO	70	5"	305 lbs	\$2756.06
461030	15B096FE W/LWCO	Gas Fired Atmospheric Boiler W/LWCO	96	5"	310 lbs	\$2909.24
461031	15B120FE W/LWCO	Gas Fired Atmospheric Boiler W/LWCO	120	6"	355 lbs	\$3199.64
461032	15B145FE W/LWCO	Gas Fired Atmospheric Boiler W/LWCO	145	6"	360 lbs	\$3399.44
461033	15B170FE W/LWCO	Gas Fired Atmospheric Boiler W/LWCO	170	7"	420 lbs	\$3821.72
461034	15B195FE W/LWCO	Gas Fired Atmospheric Boiler W/LWCO	195	7"	425 lbs	\$4235.98

Accessories for Pennco 15B Series Gas Boilers

HVAC No.	MFG Part No.	Description	Price
448516	550001279	LP Conversion Kit for 15B045FE	\$101.54
448517	550001280	LPConversion Kit for 15B070FE	\$101.54
448518	550001281	LP Conversion Kit for 15B096FE	\$101.54
448519	550001282	LP Conversion Kit for 15B120FE and 15B170FE	\$122.70
448520	550001283	LP Conversion Kit for 15B145FE	\$122.70
448522	550001285	LP Conversion Kit for 15B195FE	\$122.70

KW Series 2 Oil Boilers

- · Features a Honeywell high limit and circulator relay control with digital temperature display and diagnostics
- · Oil-fired boiler
- · Available with or without tankless coil
- · "With tankless coil" version includes Low limit control
- · Atmospheric, chimney vented
- Extra boiler tap for expansion tank or air elimination
- 20 year limited heat exchanger warranty
- 1 year limited warranty on parts





245

\$4860.10



Pennco Boilers

Accessories for Pennco KW Series 2 Oil Boilers

HVAC No.	MFG Part No.	Description	Price
448878	550002646	Opt. Rerate Kit, Changes 0.75 to 140 or 84 MBH Input	\$52.88
448879	550002647	Opt. Rerate Kit, Changes 1.50 to 175 or 126 MBH Input	\$52.88
448880	550002648	Opt. Rerate Kit, Changes 1.75 to 280 or 168 MBH Input	\$126.92



IBC Boilers and Combi Units

HC Series Condensing Boilers

- · Copper heat exchanger
- Up to 95% AFUE
- · Modulating condensing design
- Full ASME rated vessel
- Built-in boiler pump
- Includes Air Vent, Outdoor Sensor, and Relief Valve
- Approved for Schedule 40 PVC, CPVC, and Polypropylene venting material
- 10 year limited warranty
- · Available in New York state

HVAC No.	MFG Part No.	Input MBH	Fuel	AFUE	Weight	Price
456693	HC-20-125	20-125 MBH	Natural Gas	95%	85 lbs	\$4094.00
456694	HC-33-160	33-160 MBH	Natural Gas	95%	85 lbs	\$4243.42

SL Series Condensing Boilers

- 96% AFUE
- · Modulating condensing design
- · Stainless steel fire tube heat exchanger
- The 40-399 size is also available with an optional 316Ti heat exchanger for greater resistance to aggressive water
- Supply and return connections are on the same side, for more convenient piping connection
- · Touch-screen setup
- Approved for Schedule 40 PVC, CPVC, and Polypropylene venting material
- Sizes 85, 115, 160, and 199 include LP conversion kit
- For sizes 260 and 399 LP kit is purchased separately
- · Limited lifetime residential heat exchanger warranty
- · Available in New York state

HVAC No.	MFG Part No.	Input MBH	Fuel	AFUE	Weight	Price
466011	SL 10-85 G3	10.6-85 MBH	Natural Gas	96%	85 lbs	\$6719.22
466012	SL 14-115 G3	14-115 MBH	Natural Gas	95%	85 lbs	\$6778.92
466013	SL 20-160 G3	20-160 MBH	Natural Gas	95%	102 lbs	\$8397.84
466014	SL 30-199 G3	32-199 MBH	Natural Gas	95%	152 lbs	\$10099.32
466015	SL 26-260 G3	26-260 MBH	Natural Gas	95%	162 lbs	\$10847.76
466016	SL 40-399 G3	40-399 MBH	Natural Gas	96%	240 lbs	\$17504.52
466017	SL 40-399(Ti) G3	40-399 MBH	Natural Gas	96%	240 lbs	\$19485.84

DC Series Combi Units

- Up to 94% AFUE
- Modulating condensing design
- Two independent copper coils embedded in a cast aluminum heat exchanger
- Delivers 70°F temperature rise at 3.2 GPM
- Built-in boiler pump
- Includes Air Vent, Outdoor Sensor, and Relief Valve
- Approved for Schedule 40 PVC, CPVC, or Polypropylene venting material
- 10 year limited warranty
- Available in New York state

· Availar	Available in New York State								
HVAC No.	MFG Part No.	Input MBH	Fuel	AFUE	Weight	Price			
456695	DC 20-125	20-125 MBH	Natural Gas	95%	85 lbs	\$4228.84			



-30-di (-30-di

IBC 1





IBC Boilers and Combi Units

DC Series Combi Units (Continued)

HVAC No.	MFG Part No.	Input MBH	Fuel	AFUE	Weight	Price
456696	DC 33-160	33-160 MBH	Natural Gas	94%	85 lbs	\$4452.38

Accessories for IBC Boilers and Combi Units

Floor Stands

• Enables the mounting of a boiler or combi when a wall location is not available or convenient



HVAC No.	MFG Part No.	Description	Price
465599	P-267	Floor Stand for SL Series sizes up to 199 MBH, all DC Combis, all HC Boilers	\$340.64
467596	P-266	Floor Stand for SL Series sizes 260 and 399	\$439.96

Primary-Secondary Piping Manifold

• Makes installation go faster and better



HVAC No.	MFG Part No.	Description	
456697	190-149	Manifold Piping Kit, fits HC and DC Series	\$342.16

LP Conversion Kits

HVAC No.	MFG Part No.	Description	Price
467597	P-300	LP Kit for SL 26-260 G3	\$388.16
467598	P-302	LP Kit for SL 40-399 G3	\$562.40
458167	P-737	LP Kit for DC 20-125, HC 20-125	\$39.82
457762	P-702	LP Kit for DC 33-160, HC 33-160	\$39.82



Thermodynamics Oil Boilers

ThermoDynamics S Series Oil Boilers

- Up to 86% AFUE
- Extended coil flange for dependable operation & easy servicing
- Top flue connection for easy installation & simplified servicing
- Copper domestic hot water coil
- · Combustion chamber easily serviced from the front of the unit
- ASME constructed, IBR rated & H-stamped
- · Lifetime limited heat exchanger warranty
- · Made in the USA



HVAC No.	MFG Part No.	Input MBH	AFUE	Flue Size	Weight	Price
393800	S-85	140	84%	6"	320 lbs	\$3820.20
393801	S-100	140	84.2%	6"	325 lbs	\$3924.96
393802	S-110	154	84.6%	6"	380 lbs	\$3851.00
393803	S-125/135/150	175-210	84.2%	6"	370 lbs	\$4491.84